

Gibbs Park
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
7	7/4	0	2/2	2/2


R5

FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE#: R50ACDBDA
PROJECT#: GSR220527
DATE: 5/27/2022

MIN. USE ZONE: 38' x 34'

PLAYCRAFT REP:
Great Southern Recreation

Gibbs Park TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
4	4/2	0	2/1	2/1


R5

FOR KIDS
AGES
2-5

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE#: R507D0A6A
PROJECT#: GSR220527
DATE: 5/27/2022

MIN. USE ZONE: 30' x 26'

PLAYCRAFT REP:
Great Southern Recreation

Gibbs Park
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE


ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	5/0	1/0

FOR KIDS
AGES
2-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE#: 1
PROJECT#: GSR220527
DATE: 5/27/2022

MIN. USE ZONE: 44' x 31'

PLAYCRAFT REP:
Great Southern Recreation

Gibbs Park
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE


ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	6/0	1/0

FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE#: 2
PROJECT#: GSR220527
DATE: 5/27/2022

MIN. USE ZONE: 47' x 31'

PLAYCRAFT REP:
Great Southern Recreation

Gibbs Park
SITE PLAN

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
11	11/6	0	15/4	6/3

R5


FOR KIDS
AGES
[Mixed]

GENERAL NOTES:

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



PROJECT#: GSR220527
DATE: 5/27/2022

MIN. USE ZONE: 104' x 68'

PLAYCRAFT REP:
Great Southern Recreation

Gibbs Park
SW VIEW

R5

FOR KIDS
AGES
5-12



STRUCTURE#: R50ACDBDA
PROJECT#: GSR220527
DATE: 5/27/2022

Gibbs Park
NE VIEW

R5

FOR KIDS
AGES
5-12



STRUCTURE#: R50ACDBDA
PROJECT#: GSR220527
DATE: 5/27/2022

Gibbs Park
SW VIEW

R5

FOR KIDS
AGES
2-5



STRUCTURE#: R507D0A6A
PROJECT#: GSR220527
DATE: 5/27/2022

Gibbs Park
NE VIEW

R5


FOR KIDS
AGES
2-5



STRUCTURE#: R507D0A6A
PROJECT#: GSR220527
DATE: 5/27/2022

Gibbs Park
3D VIEW


FOR KIDS
AGES
2-12



STRUCTURE#: 1
PROJECT#: GSR220527
DATE: 5/27/2022

Gibbs Park
SW VIEW

FOR KIDS
AGES
5-12



STRUCTURE#: 2
PROJECT#: GSR220527
DATE: 5/27/2022



Bill of Materials

Gibbs Park

Project# GSR220527

5/27/2022

Item	Description	Quantity
R50ACDBDA		
HS-1004-R	Collars	55
GF-7002	Dome Cap, R5	7
S-1010-R5-10ft	Post, 10ft R5	1
S-1011-R5-11ft	Post, 11ft R5	1
S-1012-R5-12ft	Post, 12ft R5	4
S-1013-R5-13ft	Post, 13ft R5	1
S-1016-R5-16ft	Post, 16ft R5	6
S-1101-R5	Square Deck	1
S-1102-R5	Tri-Deck	3
S-1103-R5	Hex Deck, Half (5 Post)	1
S-1110-R	Filler, 12in	1
S-1206-24R5	ADA Stairs, 24in Rise w/ Walls (Short)	1
S-1209-24-R5	Transfer Station, 36in-R	1
S-1237-6R5	Climber, Vertical Rock 66-72in	1
S-1239-6R5	Climber, Waddle 66-72in	1
S-1243-3	Climber, Disc Pole 30-36in	1
S-12801-L-R5	Climber, Sunrise 54-60in (Left)	1
S-1305-R5	Double Slide SitDown Wall	1
S-1309-2-R5	Half Walls (Pair) R5	1
S-1309-R5	Half Walls (Single, Left)	1
S-1310-R5	Transition Wall	1
S-1314-1948-B-R5R	Access Wall w/ Handle (Right)	1
S-1316-R5	Twister Entry Panel	1
S-1403-R5	End Access Ladder (3-Rung)	1
S-1411-90-R5	Traverse, Loop (90 Degree)	1



Bill of Materials (continued)

Item	Description	Quantity
S-1702-6R5	Slide, Double 66 - 72in (Dual Express)	1
S-1710-6-LSL	Slide, Twister 72in (L-S-L)	1
S-1803-R5STL	Metal Roof, Hex	1
S-1812-R5	Driver Wheel (Post Mounted)	1
S-1937-R5	Crunch Handle	1
R507D0A6A		
HS-1004-R	Collars	18
GF-7002	Dome Cap, R5	2
S-1010-R5-10ft	Post, 10ft R5	2
S-1014-R5-14ft	Post, 14ft R5	4
S-1101-R5	Square Deck	2
S-1209-24-R5	Transfer Station, 36in-L	1
S-1210-36	Climber, Vertical Ladder 30-36in	1
S-1233-3-HW	Climber, Disc 30-36in (w/ HW)	1
S-1303-R5	Single Slide SitDown Hood	1
S-1306-R5	Double Slide SitDown Hood	1
S-1309-2-R5	Half Walls (Pair) R5	3
S-1414-3-HH-R5	Climber, Step-Up 36in (Lily-Pad, Hand Rails)	1
S-1661-R5	Panel Pal, Bell	1
S-1702-3R5	Slide, Double 36in	1
S-1705-3	Slide, Quarter Turn 36in	1
S-18027-R512	Shade Sail Canopy, 12ft	1
S-1812-R5	Driver Wheel (Post Mounted)	1
1		
A2-2123-2FB-AB	PC 2123 Arch Swing (Right, 2FB)	1
A2-2123-ADAX2	PC 2123 Arch Swing (2INC)	1
A2-2123-PS-AB	PC 2123 Arch Swing (Right, 1PS)	1
2		
A2-2123-2B	PC 2123 Arch Swing (2B)	1
A2-2123-2B-AB	PC 2123 Arch Swing (Right, 2B)	2